



- ❖ **Hop Variety:** ***NZ Sticklebract***
- ❖ **Origin:** A triploid variety developed at the DSIR Research Station from an open pollinated First Choice; high alpha variety released in 1972.
- ❖ **Maturity:** Mid season
- ❖ **Yield:** 2900 kgs/ha (2558 lbs/acre)
- ❖ **Disease Reaction:** As no real disease problems in NZ, resistance is not defined
- ❖ **Cone Structure:** Medium-large, cylindrical, oval medium-dense clusters
- ❖ **Quality:**
- **Aroma** Pine-like aroma with a hint of citrus
 - **Storage Stability** Good
- ❖ **HPLC Data:**
- **Alpha-Acids** 13.0 – 14.2% w/w
 - **Cohumulone** 45% of alpha-acids
 - **Beta-Acids** 7.5 – 8.5% w/w
 - **Xanthohumol** No data available
- ❖ **Hop Oils:**
- **Total Oil** 1.1% v/w
of which typically:
 - **Myrcene** 51%
 - **Humulene** 11%
 - **Caryophyllene** 6%
 - **Farnesene** 4.6%
 - **Linalool** N/A
- ❖ **Brewing Character:** A good alpha hop with a high Selinene content typical of many English hops.

VDS 103/02 issued 31-January-03