



Report on Weather and Hop Growing Conditions: Week 27


Report Period: July 5, 2020 - July 11, 2021

HALLERTAU



Variety	Comment	Development
Tradition	Trellis height/ partly start of flowering	o
Perle	trellis height/ above trellis height	o
Magnum	mostly above trellis height/ formation of lateral arms	o
Herkules	mostly above trellis height/ formation of lateral arms	+

(++ very good; + good; o average; - weak; -- very weak)



(Tendency: stable ↑, decreasing ←, increasing →)



Comments: Near-optimal conditions again significantly encouraged growth. However, abundant rainfall also ensured that necessary sprayings against powdery mildew and Peronospora were hardly possible. Nevertheless, no spread of the diseases can be observed at present. Seeded catch-crops were able to emerge well due to the weather.



Report on Weather and Hop Growing Conditions: Week 27

Report Period: July 5, 2020 - July 11, 2021


TETTNANG



Variety	Comment	Development
Tettninger	Formation of lateral arms/ start of flowering	+
Mittelfrüher	Formation of lateral arms/ start of flowering	+
Tradition	Formation of lateral arms/ start of flowering	o
Herkules	Formation of lateral arms/ start of flowering	o

Comments: A week of high precipitation, partly with summer temperatures, continued to ensure a high water supply and thus also optimal growing conditions. In only a few passable fields, the rows could be tilled a second time and sprayings against aphids and peronospora applied.

(++ very good; + good; o average; - weak; -- very weak)





(Tendency: stable ↑, decreasing ←, increasing →)



Report on Weather and Hop Growing Conditions: Week 27


Report Period: July 5, 2020 - July 11, 2021

ELBE SAALE



Variety	Comment	Development
Perle	Trellis height	o
Northern Brewer	Trellis height/ start of flowering	o
Magnum	Trellis height	o
Herkules	Trellis height	o

(++ very good; + good; o average; - weak; -- very weak)



(Tendency: stable ↑, decreasing ←, increasing →)

Comments: Summer temperatures combined with thundershowers resulted in good growing conditions with often limited trafficability of the fields. Where soil trafficability was given, chemical defoliation and plant protection measures against aphids and spider mites were carried out. The Saazer variety is already showing the first signs of flowering.

