



Report on Weather and Hop Growing Conditions: Week 28


Report Period: July 12, 2020 - July 18, 2021

HALLERTAU



Variety	Comment	Development
Tradition	start of flowering	0
Perle	partly start of flowering	0
Magnum	head formation / start of flowering	0
Herkules	head formation / first sings of flowering	+

(++ very good; + good; 0 average; - weak; -- very weak)



(Tendency: stable ↑, decreasing ←, increasing →)



Comments: Moderate temperatures provided good growing conditions, and rainfall at the beginning of the week ensured a good water supply. Due to the low trafficability of the soils, hardly any plant protection measures could be carried out. Most varieties begin to form the first flowers.



Report on Weather and Hop Growing Conditions: Week 28

Report Period: July 12, 2020 - July 18, 2021


TETTANANG



Comments: Another rainy week, with initially cooler temperatures and sunshine by the end of the week brought good growing conditions. Due to the lack of trafficability of the soils, necessary treatments against peronospora had to be postponed.

Variety	Comment	Development
Tettananger	formation of lateral arms / flowering	+
Mittelfrüher	formation of lateral arms / flowering	+
Tradition	formation of lateral arms / flowering	0/+
Herkules	formation of lateral arms / flowering	0/+

(++ very good; + good; 0 average; - weak; -- very weak)





(Tendency: stable ↑, decreasing ←, increasing →)



Report on Weather and Hop Growing Conditions: Week 28

Report Period: July 12, 2020 - July 18, 2021

ELBE SAALE




Variety	Comment	Development
Perle	trellis height / formation of lateral arms	0
Northern Brewer	trellis height / formation of lateral arms	0
Magnum	trellis height / formation of lateral arms	0/+
Herkules	trellis height / formation of lateral arms	0/+

Comments: Further precipitation increased the water supply, moderate temperatures brought optimal growing conditions. The early varieties Saazer and Northern Brewer began to bloom. In most places, the fields were not passable, and necessary crop protection measures could only be applied to a very limited extent in terms of time. Disease and pest pressure remained at a low level.



(++ very good; + good; o average; - weak; -- very weak)



(Tendency: stable ↑, decreasing ←, increasing →)