


Hop Oil – Type NOBLE SPICY

Overview

- Hop Oil Type NOBLE SPICY is produced by conventional hop extraction with subsequent fractionation by means of distillation.
- Hop Oil Type NOBLE SPICY has been specifically developed for additions prior to filtration. This product can completely or partially replace late hop additions in the brewhouse while still imparting spicy or herbal notes to beer, reminiscent of typical "noble" hop aroma.
- **Hop oil recovery** is considerably higher compared to conventional hopping methods, as the aroma compounds are not lost due to evaporation in the brewhouse.

Equivalent leaf hop quantity to 100g Type NOBLE SPICY (based on Linalool)



Specifications

- · Description:
- Key compound:
- Specific ratios:
- Bittering substances:
- Viscosity:
- Density:

pure hop oil diluted in propylene glycol, resulting in a product diluted to 1:100 linalool 500 ppm (± 50ppm)

- linalool / myrcene > 5.0linalool / caryophyllene ≤ 0.1
 - ≤ 0.1 ≤ 0.1
 - ≥ 0. I
- not detectable
- approx. 46 mPas at 25 °C (77 °F) approx. 1.0 g/ml at 20 °C (68 °F)
- For batch-dependent information, please refer to the enclosed certificate of analysis.

linalool / humulene

S.S.Steiner, Inc.

Simon H. Steiner, Hopfen, GmbH

New York, USA Tel:(1) 212 838 8900 Fax:(1)212 593 4238 E-mail: <u>sales@hopsteiner.com</u> Mainburg, Germany Tel: (49) 8751 8605-0 Fax: (49) 8751 8605-80 E-mail: info@hopsteiner.de Steiner Hops Ltd.

Guildford, England Tel: (44) 1992 572331 Fax: (44) 1992 573780 E-mail: <u>enquiries@hopsteiner.co.uk</u> PDS 60/23 issued 05/2023

Hopsteiner Trading (Zhuhai) Co., Ltd.

Zhuhai, PRC Tel: (86) 756 322 3340 Fax: (86) 756 322 3345 E-mail: info@hopsteiner.com.cn



Properties

• Appearance

Hop Oil – Type NOBLE SPICY is a nearly colorless to light green, transparent or slightly turbid liquid, containing hop essential oils.

• Flavor

Hop Oil – Type NOBLE SPICY contains both a certain amount of linalool and the volatile sesquiterpenoid fraction, resulting in a more typical late hop aroma with spicy notes.

Depending on the quantity added and the type of beer, **Hop Oil – Type NOBLE SPICY** can pronounce the spicy hop aroma, while still covering floral and citrusy notes to beer.

Hop Oil – Type NOBLE SPICY has little influence on the sensory bitterness of beer.

It is suitable for use in beers brewed with conventional hop products as well as light stable beers to impart a more typical "spicy late hop" character.

During beer aging the aroma components of **Hop Oil – Type NOBLE SPICY** remain stable and contribute to overall flavor stability.

Utilization

Hop Oil – Type NOBLE SPICY contains linalool with an excellent recovery rate, which can be close to 100%. Although the more nonpolar sesquiterpenes humulene and caryophyllene might show lower recovery rates, the spicy aroma impact of the whole sesquiterpenoid fraction is remained.

Quality

All Hopsteiner® products are processed in facilities which fulfill internationally recognized quality standards.

✤ Packaging

Hop Oil – Type NOBLE SPICY is normally packaged in aluminum bottles of various sizes. The product is supplied in a 1:100 dilution in propylene glycol. Other dilutions, packaging or pure hop oils may be available on request.

Product Use

Dosage

The quantity of the hop oil addition is determined by the brewer and depends on the time and point of the addition.

The hop oil dosage should be based on the desired concentration of <u>linalool in the beer</u>. The threshold in beer is usually around 20 μ g/l. This lowest concentration is intended for orientation only. Actual addition will depend on the quality and intensity of the aroma desired. The higher the dosage, the more intense characteristic spicy notes are pronounced. Typical range of application is **2 - 10 ml/hl**.

Trials performed by injecting the product into bottled beer with a microliter syringe are helpful for determining the quantity of **Hop Oil – Type NOBLE SPICY** required.

S.S.Steiner, Inc.

Simon H. Steiner, Hopfen, GmbH

New York, USA Tel:(1) 212 838 8900 Fax:(1)212 593 4238 E-mail: <u>sales@hopsteiner.com</u> Mainburg, Germany Tel: (49) 8751 8605-0 Fax: (49) 8751 8605-80 E-mail: <u>info@hopsteiner.de</u> Steiner Hops Ltd.

Guildford, England Tel: (44) 1992 572331 Fax: (44) 1992 573780 E-mail: <u>enquiries@hopsteiner.co.uk</u>

PDS 60/23 issued 05/2023

Hopsteiner Trading (Zhuhai) Co., Ltd.

Zhuhai, PRC Tel: (86) 756 322 3340 Fax: (86) 756 322 3345 E-mail: info@hopsteiner.com.cn



Application

Shake the packaging well before use.

Hop Oil – Type NOBLE SPICY can be added at different stages on the cold side of beer production, typically prior to filtration. For the highest possible yield, a direct addition into the beer stream prior to filtration is recommended. This enables the hop oil to dissolve in the beer without changing its flavor.

Storage

Hop Oil – Type NOBLE SPICY should ideally be stored at temperatures of 1 - 10 °C and in the delivered original container.

Best Before Date

Hop Oil – Type NOBLE SPICY is stable two years from the date it was produced / packaged if stored under the recommended conditions. Once opened, it is recommended to use within one month and limit the number of openings.

• Safety

Any product coming into contact with the skin should be immediately washed off with soap and water. If **Hop Oil – Type NOBLE SPICY** gets into the eyes, flush with copious amounts of water until clear and seek medical attention.

For full safety information, please refer to the relevant Hopsteiner® safety data sheet.

Analytical Methods

Aroma Compounds

Individual hop oil compounds can be analyzed by means of gas chromatography techniques using the following methods:

- Analytica-EBC 7.12
- ASBC Hops-17

Technical Support

We are pleased to offer assistance and advice on the full range of Hopsteiner® products:

- Safety Data Sheets (SDS)
- assistance with pilot or full-scale brewing trials
- o special analytical services

Disclaimer: The information provided in this document is believed to be correct and valid. However, Hopsteiner® does not guarantee that the information provided here is complete or accurate and thus assumes no liability for any consequences resulting from its application.

S.S.Steiner, Inc.

New York, USA Tel:(1) 212 838 8900 Fax:(1)212 593 4238 E-mail: <u>sales@hopsteiner.com</u> Simon H. Steiner, Hopfen, GmbH

Mainburg, Germany Tel: (49) 8751 8605-0 Fax: (49) 8751 8605-80 E-mail: info@hopsteiner.de Steiner Hops Ltd.

Guildford, England Tel: (44) 1992 572331 Fax: (44) 1992 573780 E-mail: <u>enquiries@hopsteiner.co.uk</u>

PDS 60/23 issued 05/2023

Hopsteiner Trading (Zhuhai) Co., Ltd.

Zhuhai, PRC Tel: (86) 756 322 3340 Fax: (86) 756 322 3345 E-mail: info@hopsteiner.com.cn